Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
#				Operator		
S1	224	du.xa.	USPAT	OR	OFF	2005/08/29 18:00
S2	1	"6711691".pn.	USPAT	OR	OFF	2004/08/19 16:48
<b>S3</b>	24	("5167024"   "5239652"   "5254928"   "5396635"   "5483656"   "5557777"   "5590061"   "5600841"   "5632037"   "5708816"   "5710929"   "5724591"   "5737615"   "5799198"   "5809314"   "5812796"   "5892959"   "6105097"   "6119194"   "6141762"   "6230277"   "6272644"   "6308278"   "6460143").PN.	USPAT	OR	OFF	2004/08/19 15:50
S4	6	"6460143".URPN.	USPAT	OR	OFF	2004/08/20 15:10
S5	3	US-5404543-\$.DID. OR	USPAT	OR	OFF	2005/03/09 17:25
		US-5666538-\$:DID: OR US-6173409-\$.DID.				
S6	11	US-5590342-\$.DID. OR US-5742819-\$.DID. OR US-5832283-\$.DID. OR US-5884088-\$.DID. OR US-5953536-\$.DID. OR US-5974556-\$.DID. OR US-5978923-\$.DID. OR US-6079022-\$.DID. OR US-6085325-\$.DID. OR US-6112247-\$.DID. OR US-6115823-\$.DID. OR US-623027B1-\$.DID. OR US-624382B1-\$.DID. OR	USPAT	OR	OFF	2004/08/19 16:50
<b>S7</b>	11	US-5590342-\$.DID. OR US-5742819-\$.DID. OR US-5832283-\$.DID. OR US-5884088-\$.DID. OR US-5953536-\$.DID. OR US-5974556-\$.DID. OR US-5978923-\$.DID. OR US-6079022-\$.DID. OR US-6085325-\$.DID. OR US-6112247-\$.DID. OR US-6115823-\$.DID. OR US-623027-\$.DID. OR US-623027-\$.DID. OR	USPAT	OR	OFF	2004/08/19 16:51

S8	14	US-5590342-\$.DID. OR	USPAT	OR	OFF	2004/08/20 10:50
		US-5742819-\$.DID. OR	031711		0.1	200 1/00/20 10:50
		US-5832283-\$.DID. OR				
		US-5884088-\$.DID. OR US-5953536-\$.DID. OR				
		US-5974556-\$.DID. OR				
		US-5978923-\$.DID. OR				
		US-6079022-\$.DID. OR US-6085325-\$.DID. OR				
		US-6112247-\$.DID. OR				
		US-6115823-\$.DID. OR				
		US-6230279-\$.DID. OR US-6243821-\$.DID. OR				
		US-6272642-\$.DID.				
S9:	47.	(power near3 load\$1) same server	USPAT	OR	OFF	2004/08/20 10:51
S10	0	JP-11312030-\$.DID.	JPO	OR	OFF	2004/08/20 13:30
S11	0.	JP=11-312030-\$.DID.	JPO	OR	OFF	2004/08/20 13:24
S12	9	JP-??312030-\$.DID.	JPO	OR	OFF	2004/08/20 13:32
S13	0	JP-1999312030-\$.DID.	JPO	OR	OFF	2004/08/20 13:32
S14	1	du.xa. and power adj rail	USPAT	OR	OFF	2004/08/20 15:06
S15	1	"6167486".PN.	USPAT	OR	OFF	2004/08/20 15:08
S16	5	power near3 demand with server	USPAT	OR	OFF	2005/03/07 16:15
S17	5	("5515511"   "5935206"	USPAT	OR	OFF	2004/08/20 15:12
		"6065123"   "6115822"   "6327622").PN.				
S18	0	"6418557".URPN.	USPAT	OR	OFF	2004/08/20 15:14
S19	4896	(processor cpu microprocessor)	USPAT	OR	OFF	2005/03/07 16:15
		near3 server				
S20	116	(processor cpu microprocessor)	USPAT	OR	OFF	2005/03/07 16:11
		near3 server with (power frequenc\$3)				
S21	16	(processor cpu microprocessor)	USPAT	OR	OFF	2005/03/07 16:23
		near3 server with (power				
		frequenc\$3) with (task\$1 load\$1)				
S22	8736	power near3 demand	USPAT	OR	OFF	2005/03/07 16:15
S23	242	S22 with (processor cpu microprocessor)	USPAT	OR	OFF	2005/03/07 16:17
S24	計. () () <b>1</b>	S23 same server	USPAT	OR	OFF	2005/03/07 16:16
S25	137	S22 near5 (processor cpu	USPAT	OR	OFF	2005/03/07 16:17
J2J,	137	microprocessor)	USFAI	J.OK	OFF	2005/03/07 16:17
S26	16	S25 and 713/3??.ccls.	USPAT	OR	OFF	2005/03/07 16:17
S27	18	(processor cpu microprocessor)	USPAT	OR	OFF	2005/03/07 17:26
		near5 dynamic\$5 near3 (power frequenc\$3) same (task\$1 load\$1)	· · · · · · · · · · · · · · · · · · ·		*.	
S28	6	"733 MHz"	USPAT	OR	OFF	2005/03/07 17:45
S29	159	server with dynamica\$4 with load\$1	USPAT	OR	OFF	2005/03/07 17:57
	L	,				

		<u> </u>	ı	T	,	
S30	97	server with dynamica\$4 near5 load\$1	USPAT	OR	OFF	2005/03/07 17:46
S31	1	S30 same power	USPAT	OR	OFF	2005/03/07 17:46
S32	92	server with power with load\$1	USPAT	OR	OFF	2005/03/07 17:58
S33	1	server with dynamica\$4 with load\$1	USPAT	OR	OFF	2005/03/07 17:57
		with power			ing. Sign approximation	를 가득하는 것이 있다. - 하고 생산하는 것이 있는 것이 없다. - 글로 사용하는 것이 있는 것을 보고 있다.
S34	1	server with power near2 (mode\$1 state\$1) with load\$1	USPAT	OR	OFF	2005/03/07 17:58
S35	210	server with (number near3 client\$1 near3 connect\$4)	USPAT	OR	OFF	2005/03/10 17:02
S36	11	server with (number near3 client\$1 near3 connect\$4) with (detect\$3 determine\$3)	USPAT	OR	OFF	2005/03/09 17:49
S37	7	server with (number near3 client\$1	EPO; JPO;	OR	OFF	2005/03/09 18:03
		near3 connect\$4) with (detect\$3 determine\$3)	DERWENT; IBM_TDB			
S38	2673	load adj balanc\$3	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 18:04
S39	7677	load adj balanc\$3	USPAT;	OR	OFF	2005/03/09 18:04
			EPO; JPO;			
			DERWENT; IBM_TDB			
S40	89	load adj balanc\$3 and (client\$1 near3 connect\$4) with (detect\$3 determine\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 18:47
S41	7	load adj balanc\$3 and (client\$1	USPAT;	OR	OFF	2005/03/09 18:05
		near3 connect\$4) with (detect\$3	EPO; JPO;			
	er en de la deservación de la	determine\$3) with number\$1	DERWENT; IBM_TDB			
S42	147937			00		
342	14/93/	makoto.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 18:47
S43	14620	makoto.in.	USPAT	OR	OFF	2005/03/09 18:47
S44	78	(makoto near2 ando).in.	USPAT	OR	OFF	2005/03/09 18:47
S45	48	bios near3 acpi	USPAT	OR	OFF	2005/03/10 14:52
S46	701	bios near3 power	USPAT	OR	OFF	2005/03/10 15:40
S47	22	bios near3 power near3 instruction\$1	USPAT	OR	OFF	2005/03/10 14:53
S48	41	bios near3 power near3 (resid\$3 stor\$3)	USPAT	OR	OFF	2005/03/10 15:41
S49	7	server with (number near3 client\$1 near3 connect\$4) with monitor\$3	USPAT	OR	OFF	2005/03/10 17:02
S50	1	"20030065497".pn.	US-PGPUB; USPAT	OR	OFF	2005/08/29 18:10

S51	69077	type near3 connection\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2005/08/30 11:01
			IBM_TDB			
S52	112750	power near3 (distribut\$3 select\$3)	US-PGPUB; USPAT;	OR	OFF	2005/08/29 18:18
			EPO; JPO; DERWENT; IBM_TDB			
S53	77	S52 with S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 18:13
S54	2	S52 with S51 same secure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 18:12
S55	26	S52 with S51 and secure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 19:31
<b>S56</b>	2132	network with (connection\$2 near5 (secure\$1 unsecure\$1 un-secure\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 18:18
S57	2	S52 same S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 18:18
S58	46	S52 and S56	US-PGPUB;	OR	OFF	2005/08/29 19:27
			USPAT; EPO; JPO; DERWENT; IBM_TDB		**	
S59	316	whether with (secure\$1 near2 (network connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:59
S60	1	whether with (secure\$1 near2 (network connection\$1)) with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:59

S61	145	whether near5 (secure\$1 near2 (network connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:59
S62	5	whether near5 (secure\$1 near2 (network connection\$1)) same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:59
S63	37	(type near3 (connection\$2 transaction\$1)) same secure\$1 same (unsecure\$1 un-secure\$1 non-secure\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:09
S64	1	(type near3 (connection\$2 transaction\$1)) same secure\$1 same (unsecure\$1 un-secure\$1 non-secure\$1) same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:03
S65	28	(power near3 require\$4) same (secure\$1 near3 (network transaction\$1 connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 12:18
<b>S66</b>	2	(power near3 require\$4) same ((unsecure\$1 un-secure\$1 non-secure\$1) near3 (network transaction\$1 connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:47
S67	1	S65 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:12
S68	22	"20050055589" "20050027952" "20040128562" "20030196126" "20030188208" "20030037268" "20030037150" ("20030033547" "20020062454" "20020007464" "20020004913").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 12:21
S69	11	"20050055589" "20050027952" "20040128562" "20030196126" "20030188208" "20030037268" "20030037150" ("20030033547" "20020062454" "20020007464" "20020004913").pn.	US-PGPUB	OR	OFF	2005/08/30 12:21

	<del>,</del>					· · · · · · · · · · · · · · · · · · ·
S70	24	"20050055589" "20050027952" "20040128562" "20030196126" "20030188208" "20030037268" "20030037150" ("20030033547" "20020062454" "20020007464" "20020004913" "20030112582").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 12:22
<b>S71</b>	12	"20050055589" "20050027952" "20040128562" "20030196126" "20030188208" "20030037268" "20030037150" ("20030033547" "20020062454" "20020007464" "20020004913" "20030112582").pn.	US-PGPUB	OR	OFF	2005/08/30 12:22
S72	144	power adj management same server	USPAT	OR	OFF	2005/08/30 13:21
S73	16	power adj management same server same (power adj state\$1)	USPAT	OR	OFF	2005/08/30 13:21
S74	739	(power near3 adjust\$3) with (connection\$1 transaction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:50
S75	4	(power near3 adjust\$3) with based adj3 (connection\$1 transaction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2005/08/30 13:48
S76	6	(power near3 adjust\$3) with (type near3 (connection\$1 transaction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:49
<b>S77</b>	1	(power near3 adjust\$3) with (secure\$1 (unsecure\$1 un-secure\$1 non-secure\$1)) near5 (connection\$1 transaction\$1 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_IDB	OR .	OFF	2005/08/30 13:51
S78	8	whether with (secure\$1 near2 (network connection\$1)) same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:59